



ANDHRA PRADESH PANCHAYAT RAJ DIPLOMA ENGINEERS ASSOCIATION

(Recognised by Govt. of AP vide G.O. Ms. No. 598, Dated: 08.09.1980)

President
Er. SK RIYAZ AHAMED
Cell : 98859 30039

Finance Secretary
Er. A. RAMBABU
Cell : 80080 42999

General Secretary
Er. G. HANUMANTHA RAO
Cell : 94902 34250

Associate President
Er. B. Krishna Murthy
Cell : 94942 07559

Senior Vice-President
Er. S.L. Somayajulu
Cell : 94400 65865

Vice-President
Er. G. Kesavulu
Cell : 94925 88746

Vice President
Er. G.S. Gouse Pasha
Cell : 99856 91190

Vice President
Er. K. Parameswar Rao
Cell : 88972 52188

Addl. Vice-President
Er. K. Srinivas
Cell : 99590 86101

Addl. General Secretary
Er. B. Prasada Rao
Cell : 98663 91206

Organising Secretary
Er. K.Ch. Mahanthy
Cell : 94410 52447

Joint Secretary
Er. K. Ravindra
Cell : 94410 67889

Publicity Secretary
Er. B. Srinivasa Rao
Cell : 94903 47544

Auditor
Er. M. Satyanarayana
Cell : 96185 82961

Technical Secretary
Er. G. Rammohan Reddy
Cell : 98858 46839

Secretary
Er. Ch.V. Rambabu
Cell : 98483 35678

Secretary
Er. P. Penchalaiah
Cell : 94405 40999

To:
The Engineer-in-Chief,
Panchayati Raj Engineering Department,
Andhra Pradesh State,
Hyderabad.

Date: 23.02.2015
Hyderabad

Sir,

Sub: APPRDEA – PRED – Equal distribution of work load for all
Engineers – Re organization of Sub-Divisions/Divisions –
Requested - Regarding
Ref: Resolution of State Executive Committee meeting
Dated: 15.02.2015.

* * *

We wish to bring to kind notice that in the State Executive Committee meeting held on 15.02.2015 at Tanuku of W.G District, it was unanimously resolved that work load for all Engineers should be equally distributed for better performance of Human resources of the Department.

It was felt that, at present in most of the PIU divisions and Sub-Divisions the work load is very less when compare to that of PRI divisions and Sub-Divisions. As a result of this the Engineers working in the PRI divisions are over burdened and their counterpart have very less work to do.

The impact of this improper distribution of work load causes slow progress of works, reducing the targeted expenditure, which adversely affects the release of grants from the Government of India and other Agencies. It has to be mentioned that, optimum utilization of Human Resources is only justifies the expenditure on administration.

In this connection we have to mention that the previous instructions by the Engineer-in-Chief, PR to all the Superintending Engineers, PR on distribution of work load were not implemented in its true spirit for various reasons.

Hence, we request that necessary proposals may be furnished to the Government of Andhra Pradesh for merging the PIU Units with that of PRI units at all levels to facilitate equal distribution of work load among all Engineers.

Yours faithfully,

General Secretary

President